

# Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: &lt;Choose&gt;; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

**Location:** (Praxair Inc) Plug Power **Location ID:** 3791510  
**Address:** 600 Principio Pkwy W - North East, MD 21901-2914 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:**  
**Primary Contact:** (Praxair Inc) Plug Power  
**Billing Contact:** Customer Care Specialist - 2211 Poland Ave Youngstown, OH 44502-2773 - Phone: 330-747-0115 - Email: Courtney\_Jordan@Praxair.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164732V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000076860		CHART	2016	08/19/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Air Clear LLC **Location ID:** 702179  
**Address:** 2440 Old Field Point Rd - Elkton, MD 21921-6712 **Phone:** 443-245-3400  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Fabricated Structural Metal  
**Primary Contact:** Dan Palmer - Phone: 443-245-3400 X153 - Cell: 302-690-5941 - Email: dpalmer@airclear.net  
**Billing Contact:** Dan Palmer - 2440 Oldfield Point Rd Elkton, MD 21921-6712 - Phone: 443-245-3400 X153 - Cell: 302-690-5941 - Email: dpalmer@airclear.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD032855V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000201380		Kargard	1966	01/21/2023	Recurring Cert	Active	Compressor Room
MD116584V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00027462M		Brunner	2000	01/21/2023	Recurring Cert	Active	Comp Room
MD116585V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00009494M		Brunner	2000	01/21/2023	Recurring Cert	Active	Conmp Room

**Total Objects at this Location:** 3

**Location:** Amazon Fullfillment Center  
**Address:** 600 Principio Pkwy W - North East, MD 21901-2914  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Peter Viola - Email: violap@amazon.com  
**Billing Contact:** Peter Viola - 600 Principio Pkwy W North East, MD 21901-2914 - Email: violap@amazon.com

**Location ID:** 3802487  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158172V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000850894		Steel Fab	2017	09/08/2023	Recurring Cert	Active	Compressor Area-Rear Bldg.
<b>Total Objects at this Location:</b>				1							

**Location:** Apple Used Cars  
**Address:** 560 E Pulaski Hwy - Elkton, MD 21921-6031  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Shawn McLaughlin - Phone: 4103981600 - Cell: 4109370640  
**Billing Contact:**

**Location ID:** 702188  
**Phone:** 410-398-3600  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD054709V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000251697		Buckeye	1980	03/01/2022	Recurring Cert	Active	Compressor Room
MD100739V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089977		Stoystown	1996	03/01/2022	Recurring Cert	Active	Compressor Room
<b>Total Objects at this Location:</b>				2							

**Location:** Aquafin Inc.  
**Address:** 505 Blue Ball Rd #160 - Elkton, MD 21921-4856  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Dennis Garvin - Phone: 410-392-2300 - Cell: 302-275-6247 - Email: dgarvin@aquafin.net  
**Billing Contact:** Dennis Garvin - 505 Blue Ball Rd #160 Elkton, MD 21921-4856 - Phone: 410-392-2300 - Cell: 302-275-6247 - Email: dgarvin@aquafin.net

**Location ID:** 1614003  
**Phone:** 410-392-2300  
**NOB/SIC:** Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121945V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001016946		Melben	2002	09/15/2022	Recurring Cert	Active	Outside Sprinkler Rm

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128560V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000543376	543376	Silvan	2007	09/15/2022	Recurring Cert	Active	Warehouse
MD136788V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00043028L		BRUNNER ENG & MFG	1998	09/15/2022	Recurring Cert	Active	Mixing Room
MD155933V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000797269		Steel Fab	2015	09/15/2022	Recurring Cert	Active	Warehouse

**Total Objects at this Location:** 4

**Location:** Asian Garden (Arc3) **Location ID:** 3905535  
**Address:** 226 S Bridge St - Elkton, MD 21921-5915 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Asian Garden (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168402V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000077714		Taylor-Wharton	2006	11/06/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Atlantic Auto **Location ID:** 707562  
**Address:** 5439 Pulaski Hwy - Perryville, MD 21903-2602 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Atlantic Auto  
**Billing Contact:** - 5439 Pulaski Hwy Perryville, MD 21903-2602

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD027453V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000038478		Dresser	1977	06/08/2022	Recurring Cert	Active	Compress Room
MD121910V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000268532		Manchester	2004	06/08/2022	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 2

**Location:** Auto Pros  
**Address:** 5233 Pulaski Hwy - Perryville, MD 21903-2413  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Ronald Wood - Phone: 410-618-2221  
**Billing Contact:**

**Location ID:** 715072  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113184V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000135717		Trinity	2001	01/04/2023	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** B & H Auto Parts  
**Address:** 1500 W Pulaski Hwy - Elkton, MD 21921-4655  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Ernie Rivera - Phone: 443-993-1067 - Email: ernie7181@icloud.com  
**Billing Contact:** Ernie Rivera - 1500 W Pulaski Hwy Elkton, MD 21921-4655 - Phone: 443-993-1067 - Email: ernie7181@icloud.com

**Location ID:** 703465  
**Phone:**  
**NOB/SIC:** Automotive Services, Except Repair and Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136885H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2009	08/08/2022	Recurring Cert	Active	Main Shop
MD161685V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000349509		Mat industries	2016	08/08/2022	Recurring Cert	Active	Main Shop

**Total Objects at this Location:** 2

**Location:** Bayard House Restaurant  
**Address:** 11 Bohemia Ave - Chesapeake City, MD 21915-1259  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Jennifer Beck - Phone: 410 885 5040 - Email: info@bayardhouse.com  
**Billing Contact:** - PO Box 583 Chesapeake City, MD 21915-0583 - Phone: 410-885-5040 - Email: bayardhouse11@yahoo.com

**Location ID:** 704000  
**Phone:** 410-885-5040  
**NOB/SIC:** Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD060951H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027108		Reimers	1984	03/29/2022	Recurring Cert	Active	Basement, Mechanical Rm

**Total Objects at this Location:** 1

**Location:** Boss Truck Shop Inc (Truck Lube Center) **Location ID:** 721252  
**Address:** 227 Belle Hill Rd - Elkton, MD 21921-5039 **Phone:** 410-620-3123  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Bill Oetken - Phone: 410-620-3123  
**Billing Contact:** Bill Oetken - 227 Belle Hill Rd I-95 Exit 109A Elkton, MD 21921-5039 - Phone: 410-620-3123

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122265V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	V0518298		Trinity Ind	2005	05/11/2021	Recurring Cert	Active	Garage Loft
MD163750V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000733422	790273	Morganton	2018	05/10/2021	Recurring Cert	Active	Garage Loft

**Total Objects at this Location:** 2

**Location:** Boy Scouts of America/Camp Rodney Reservation **Location ID:** 723192  
**Address:** 400 Rodney Scout Rd (off MD Rt 272) - North East, MD 21901-5839 **Phone:** 410-287-5888  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Civic, Social, and Fraternal Associations  
**Primary Contact:** Charles Shirley - Phone: 410-287-3288 - Cell: 443-553-4140 - Email: cshirley@dmvc.org  
**Billing Contact:** Charles Shirley - 400 Rodney Scout Rd North East, MD 21901-5839 - Phone: 410-287-3288 - Cell: 443-553-4140 - Email: cshirley@dmvc.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169075H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004787		Bosch	2020	03/26/2023	Recurring Cert	Active	DINING HALL

**Total Objects at this Location:** 1

**Location:** Brian S. Benjamin **Location ID:** 704314  
**Address:** 1829 Tome Memorial Highway - Port Deposit, MD 21904 **Phone:** 443-206-0765  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Brian S. Benjamin - Phone: 443-206-0765  
**Billing Contact:** Brian S. Benjamin - 1829 Tome Memorial Highway Port Deposit, MD 21904 - Phone: 443-206-0765

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111710V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000828837		Manchester	1999	01/19/2023	Recurring Cert	Active	Store Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD144470H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000055092	55092	Thermo Dynamics	2012	01/19/2023	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 2

**Location:** Brilliance Auto Wash  
**Address:** 875 E Pulaski Hwy - Elkton, MD 21921-6301  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Jody Driver - Phone: 508-579-8488  
**Billing Contact:** Jody Driver - 875 E Pulaski Hwy Elkton, MD 21921-6301 - Phone: 508-579-8488

**Location ID:** 1953055  
**Phone:** 508-579-8488  
**NOB/SIC:** Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD135228V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	001540108		Campbell Hausfield	2008	06/13/2022	Recurring Cert	Active	Control Room

**Total Objects at this Location:** 1

**Location:** Chesapeake Inn (Arc3)  
**Address:** 605 2nd St - Chesapeake City, MD 21915-1220  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Chesapeake Inn (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

**Location ID:** 3905531  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD161210V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000051417		Taylor	2000	09/04/2022	Recurring Cert	Active	Tiki Hut
MD165433V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000280550		CHART	2015	09/04/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 2

**Location:** Chick-Fil-A 2491 (Arc3) **Location ID:** 3905536  
**Address:** 1100 E Pulaski Hwy - Elkton, MD 21921-2167 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Chick-Fil-A 2491 (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161233V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000202217		CHART	2009	10/01/2022	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Clean Enterprises **Location ID:** 707348  
**Address:** 235 E Main St - Rising Sun, MD 21911-1657 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Manufacturing Industries, NEC  
**Primary Contact:** Clean Enterprises - Phone: 410-658-5333/717-786-2643  
**Billing Contact:** - PO Box 664 Quarryville, PA 17566-0664 - Phone: 410-658-5333/717-786-2643

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169058H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000012532		VALMEX	2020	03/17/2023	Recurring Cert	Active	LAUNDROMAT
MD169059H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000012658		VALMEX	2020	03/17/2023	Recurring Cert	Active	LAUNDROMAT
<b>Total Objects at this Location:</b>				2							

**Location:** Community Fire Co. of Rising Sun **Location ID:** 707718  
**Address:** 300 Joseph Biggs Memorial Hwy - Rising Sun, MD 21911-2245 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Justice, public order, and safety  
**Primary Contact:** Karl Reichenbach - Phone: 410-658-4297  
**Billing Contact:** Karl Reichenbach - 36 Porter Rd North East, MD 21901-1539 - Phone: 410-658-4297

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169026H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2020	04/01/2023	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Delaware Express Co **Location ID:** 708770  
**Address:** 802 Elkton Blvd - Elkton, MD 21921-5324 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Michael Dailey - Phone: 410-398-1733 - Email: mdailey@delawareexpress.com  
**Billing Contact:** - 802 Elkton Blvd Elkton, MD 21921-5324 - Phone: 410-398-1733 - Email: rjwintner@delawareexpress.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD087845H		Vertical Fire Tube	O - Other (Blr Use) w/comment	000072399		Fulton	1995	11/19/2021	Recurring Cert	Active	Water Trmt Room
MD090944V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000097838		Manchester	1993	05/26/2022	Recurring Cert	Active	shop
MD142248V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000654458		Steel Fab	2011	05/26/2023	Recurring Cert	Active	Shop Floor (3rd Bay)
MD169604V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000757396	845366	Morganton	2018	06/02/2023	Recurring Cert	Active	6th Bay

**Total Objects at this Location:** 4

**Location:** Elkton Presbyterian Church **Location ID:** 4062891  
**Address:** 209 E Main St - Elkton, MD 21921-5717 **Phone:** 410-398-4636  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:**  
**Primary Contact:** Dan Gorman - Phone: 410-398-4636 Tues.-Fri. 9a-3p - Cell: 610-574-1980 - Email: epctreas2017@outlook.com  
**Billing Contact:** Dan Gorman - 209 E Main St Elkton, MD 21921-5717 - Phone: 410-398-4636 Tues.-Fri. 9a-3p - Cell: 610-574-1980 - Email: epctreas2017@outlook.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD170653H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI	65792209	Burnham	2021	08/31/2023	Recurring Cert	Active	Boiler room

**Total Objects at this Location:** 1



**Location:** Fast Eddie's Pit Beef (Arc3) **Location ID:** 3905568  
**Address:** 10 Montgomery Dr - North East, MD 21901-3815 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Fast Eddie's Pit Beef (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161223V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000131466		CHART	2001	10/02/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Firestone - 01E6 **Location ID:** 720889  
**Address:** 202 E Pulaski Hwy - Elkton, MD 21921-6431 **Phone:** 410-392-4307  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Miscellaneous retail  
**Primary Contact:** Firestone - 01E6  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130848V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000959371		Manchester	2008	09/14/2022	Recurring Cert	Active	Compressor Attached
MD130849V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000959358		Manchester	2008	09/14/2022	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 2

**Location:** Flying J **Location ID:** 710869  
**Address:** 1 Center Dr - North East, MD 21901-2442 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Miscellaneous manufacturing industries  
**Primary Contact:** Peter Duncan - Phone: 410-287-7110 - Email: travelcenter.784@pilottravelcenters.com  
**Billing Contact:** Attn: Tax Dept - PO Box 10146 Knoxville, TN 37939-0146 - Phone: 865-588-7488 x 2533 - Email: accountspayable@pilottravelcenters.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD170656H	#1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000013297		Intellihot	2020	08/31/2023	Recurring Cert	Active	Heater Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD170657H	#2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000010049		Intellihot	2020	08/31/2023	Recurring Cert	Active	Heater Room
MD170658V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002193874		Manchester	2019	08/31/2023	Recurring Cert	Active	Heater Room

**Total Objects at this Location:** 3

**Location:** Girl Scouts Camp Conowingo  
**Address:** 378 Bell Manor Rd - Conowingo, MD 21918-1052  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** James Richardson - Phone: 410-358-9711  
**Billing Contact:** - 4806 Seton Dr Baltimore, MD 21215-3247 - Phone: 410-358-9711

**Location ID:** 712088  
**Phone:**  
**NOB/SIC:** Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121903H	CI	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		Weil-McLain	2002	04/05/2022	Recurring Cert	Active	Bsmt of Belle Manor House

**Total Objects at this Location:** 1

**Location:** Hardee's 1506260 (Arc3)  
**Address:** 881 E Pulaski Hwy - Elkton, MD 21921-6301  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Hardee's 1506260 (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

**Location ID:** 3905537  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161234V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000141379		CHART	2002	10/01/2022	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** Jacob Tome Institute  
**Address:** 581 Maryland Ave - North East, MD 21901-4029  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Rich Rand - Phone: 410-287-2050 - Email: rich.rand@tomeschool.org  
**Billing Contact:** Rich Rand - 581 S Maryland Ave North East, MD 21901-4029 - Phone: 410-287-2050 - Email: rich.rand@tomeschool.org

**Location ID:** 714845  
**Phone:** 410-287-2050  
**NOB/SIC:** Colleges, Universities, and Professional Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013600H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000031577		Cleaver Brooks	1973	02/01/2022	Recurring Cert	Active	BLRM
MD013601H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000023313		Cleaver Brooks	1970	02/01/2022	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 2

**Location:** Kitty Knight House Inn  
**Address:** 14028 Augustine Herman Hwy - Georgetown, MD 21930  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Ralph Hall - Phone: 410-648-5200 (410) 648-5905 - Cell: (410) 648-6448 - Email: sally.rifenburg@kittyknight.com  
**Billing Contact:** - PO Box 366 Georgetown, MD 21930-0366 - Phone: 410-648-5200 - Email: sally.rifenburg@kittyknight.com

**Location ID:** 715801  
**Phone:**  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121936H	#3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2003	01/31/2022	Recurring Cert	Active	BASEMENT
MD121937H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2003	01/31/2022	Recurring Cert	Active	BASEMENT
MD121938H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2003	01/31/2022	Recurring Cert	Active	BASEMENT

**Total Objects at this Location:** 3

**Location:** LGIT - Cecil County/Cherry Hill Water Plant  
**Address:** 2115 Singerly Rd - Elkton, MD 21921-3612  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Nick Baffone - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org  
**Billing Contact:** Nick Baffone - 200 Chesapeake Blvd Ste 1300 Elkton, MD 21921-6678 - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

**Location ID:** 1884411  
**Phone:**  
**NOB/SIC:** Facilities Support Management Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124633V	CAT	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000061662		Brunner	2001	02/11/2022	Recurring Cert	Active	Blower Room

**Total Objects at this Location:** 1

**Location:** LGIT - Cecil County/Courthouse  
**Address:** 129 E Main St - Elkton, MD 21921-5908  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Nick Baffone - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org  
**Billing Contact:** Nick Baffone - 200 Chesapeake Blvd Ste 1300 Elkton, MD 21921-6678 - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

**Location ID:** 706304  
**Phone:**  
**NOB/SIC:** Executive and Legislative Offices, Combined

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD028156H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		H B Smith	1978	01/13/2022	Recurring Cert	Active	Boiler Room #1
MD111661V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000869575		Melben	2000	01/13/2022	Recurring Cert	Active	Boiler Room #2
MD117395H	1	Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	n2001-410	H B Smith	2001	01/13/2022	Recurring Cert	Active	Boiler Room #1
MD142246H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000149305		Columbia	2010	01/13/2022	Recurring Cert	Active	Blrm #2
MD142247H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000149605		Columbia	2011	01/13/2022	Recurring Cert	Active	Blrm #2
MD147096H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000183248	183248	A O Smith	2013	01/13/2022	Recurring Cert	Active	Boiler Room #2

**Total Objects at this Location:** 6

**Location:** LGIT - Cecil County/Health Department

**Address:** 401 Bow St - Elkton, MD 21921-5501

**County:** Cecil

**FIPS:** 24015

**Location ID:** 706311

**Phone:**

**NOB/SIC:** Finance, taxation, and monetary policy

**Primary Contact:** Nick Baffone - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

**Billing Contact:** Nick Baffone - 200 Chesapeake Blvd Ste 1300 Elkton, MD 21921-6678 - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071028H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP1621218	Weil-McLain	1990	04/11/2022	Recurring Cert	Active	Basement Boiler Room
MD071029H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP1621217	Weil-McLain	1990	04/11/2022	Recurring Cert	Active	Basement Boiler Room

**Total Objects at this Location:** 2

**Location:** LGIT - Cecil County/Seneca Treatment Plant

**Address:** 123 Carpenters Point Rd - Perryville, MD 21903-1219

**County:** Cecil

**FIPS:** 24015

**Location ID:** 724588

**Phone:**

**NOB/SIC:** Finance, taxation, and monetary policy

**Primary Contact:** Nick Baffone - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

**Billing Contact:** Nick Baffone - 200 Chesapeake Blvd Ste 1300 Elkton, MD 21921-6678 - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD053778V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035396		Melben	1982	02/11/2022	Recurring Cert	Active	Blower Room
MD160033V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000399591		Morganton	2014	01/24/2022	Recurring Cert	Active	Lime Silo
MD160034V	#1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001514594		Manchester Tank	2014	01/24/2022	Recurring Cert	Active	Compressor room 500
MD160035V	#2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001519041		Manchester	2014	01/24/2022	Recurring Cert	Active	Compressor room 500

**Total Objects at this Location:** 4

**Location:** LGIT - Cecil County/Stemmers Run Transfer Station  
**Address:** 45 Stemmers Run Rd - Earleville, MD 21919-2122  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Nick Baffone - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org  
**Billing Contact:** Nick Baffone - 200 Chesapeake Blvd Ste 1300 Elkton, MD 21921-6678 - Cell: 443-309-0253 - Email: Nick.Baffone@ccdps.org

**Location ID:** 3476470  
**Phone:**  
**NOB/SIC:** General Government, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151639V	1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001513105		CAMPBELL	2008	02/09/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** LGIT - Elkton Town of/ DPW  
**Address:** 209 Blue Ball Ave - Elkton, MD 21921-5223  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Mark Turnbull - Phone: 410-392-6636 - Cell: 443-350-5971  
**Billing Contact:** Mark Turnbull - 209 Blue Ball Ave Elkton, MD 21921-5223 - Phone: 410-392-6636 - Cell: 443-350-5971

**Location ID:** 726906  
**Phone:** 410-392-6636  
**NOB/SIC:** Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160321V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000616097		Morganton	2016	04/11/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** LGIT - Perryville Town/Waste Water Treatment Plant  
**Address:** 72 Ikea Way - Perryville, MD 21903-2805  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Aaron Ashford - Phone: 410-642-6142 - Cell: 443-309-7650  
**Billing Contact:** Aaron Ashford - PO Box 773 Perryville, MD 21903-0773 - Phone: 410-642-6142 - Cell: 443-309-7650

**Location ID:** 728496  
**Phone:** 410-642-6142  
**NOB/SIC:** Finance, taxation, and monetary policy

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148496V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0002029		Leiss	2010	03/23/2023	Recurring Cert	Active	Mech Room

**Total Objects at this Location:** 1

**Location:** LIDL Regional Distribution Center-Perryville  
**Address:** 81 Belvidere Rd - Perryville, MD 21903-2599  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** John Vaillaincount  
**Billing Contact:** - 3500 S Clark St Arlington, VA 22202-4045 - Phone: 703-846-8522

**Location ID:** 3810997  
**Phone:** 703-346-8522  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160036H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000310263		Lochinvar	2017	03/07/2022	Recurring Cert	Active	Admin
MD160037V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001786306		Manchester	2017	03/07/2022	Recurring Cert	Active	Recycling
MD160038H	#2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000515	23475301009	Riello	2016	03/07/2022	Recurring Cert	Active	Boiler Rm
MD160039H	#1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000000499	23255275245	Riello	2016	03/07/2022	Recurring Cert	Active	Boiler Rm
MD160275V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019370		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160276V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019716		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160277V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019724		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160278V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019275		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160279V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000019710		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160280V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019708		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigeration Room
MD160281V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019711		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigerant Room
MD160282V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000019709		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigerant Room
MD160283V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028487	51867	Refrigerator Valves & Systems	2016	04/16/2022	Recurring Cert	Active	Refrigeration Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD160284V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028395	51672	Refrigerator Valves & Systems	2016	04/16/2022	Recurring Cert	Active	Refrigeration Room
MD160285V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000028397	51674	Refrigerator Valves & Systems	2016	04/16/2022	Recurring Cert	Active	Refrigeration Room
MD160286V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028409		G E A	2017	04/04/2022	Recurring Cert	Active	Refrigerant Room
MD160287V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	0000003530		Vahterus	2016	04/04/2022	Recurring Cert	Active	Refrigeration Room Mezzanine
MD160288V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000003531	23255275245	Vehterus	2016	04/04/2022	Recurring Cert	Active	Regeration Room Mezzanine
MD168442V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010057		Morganton	2016	01/06/2023	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				19							

**Location:** Marie's Pizza Restaurant (Arc3) **Location ID:** 3905532  
**Address:** 2525 Augustine Herman Hwy - Chesapeake City, MD 21915-1424 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Marie's Pizza Restaurant (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161212V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000080468		Taylor	2005	09/04/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							



**Location:** Maryland Cork Co  
**Address:** 505 Blue Ball Rd - Elkton, MD 21921-4856  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Marcus Hartzell - Phone: 410-398-2955  
**Billing Contact:** Marcus Hartzell - PO Box 126 Elkton, MD 21922-0126 - Phone: 410-398-2955

**Location ID:** 717617  
**Phone:** 410-398-2955  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD013316	FT	Horizontal Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000098989		Columbia	1977	12/02/2021	Recurring Cert	Active	#1 Boiler Room
MD042904V	Comp # 2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001078		Louisville	1946	12/16/2021	Recurring Cert	Active	#2 Mill Floor
MD120783V	C A T	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000660394		Melben	1997	12/16/2021	Recurring Cert	Active	Comp Shed
MD143950V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001218226		Manchester	2011	12/16/2021	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 4

**Location:** Maryland Precast Concrete  
**Address:** 652 W Pulaski Hwy - Elkton, MD 21921-4708  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Maryland Precast Concrete - Phone: 410-398-2777  
**Billing Contact:** - PO Box 906 Elkton, MD 21922-0906 - Phone: 410-398-2777

**Location ID:** 1727656  
**Phone:** 410-398-2777  
**NOB/SIC:** Cement, Hydraulic

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122761V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000824934		Melben	1999	09/22/2022	Recurring Cert	Active	Garage

**Total Objects at this Location:** 1

**Location:** Meeting Ground Inc.  
**Address:** 107 Delaware Ave - Elkton, MD 21921-6001  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Meeting Ground Inc. - Phone: 410-398-4381  
**Billing Contact:** - PO Box 808 Elkton, MD 21922-0808 - Phone: 410-398-4381

**Location ID:** 735289  
**Phone:**  
**NOB/SIC:** Nursing and Personal Care Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135212H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	230600049	ECR International	2007	03/12/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Meineke Car Care Center  
**Address:** 303 W Pulaski Hwy - Elkton, MD 21921-5216  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Kevin Wilson - Phone: 410-392-0098 - Email: shop.1798@meineke.net  
**Billing Contact:** Kevin Wilson - 303 W Pulaski Hwy Elkton, MD 21921-5216 - Phone: 410-392-0098 - Email: shop.1798@meineke.net

**Location ID:** 724748  
**Phone:**  
**NOB/SIC:** General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123646V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000448508		Manchester	2005	10/31/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Mendenhalls Garage Inc.  
**Address:** 2963 Telegraph Rd - Elkton, MD 21921-2332  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Jay A. Mendenhall - Phone: 800-333-4677 - Email: mendenhall@zoominternet.net  
**Billing Contact:** Jay A. Mendenhall - 2963 Telegraph Rd Elkton, MD 21921-2332 - Phone: 800-333-4677 - Email: mendenhall@zoominternet.net

**Location ID:** 718236  
**Phone:** 410-398-0904  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016509V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000031981		Buckeye	1972	06/13/2022	Recurring Cert	Active	SHOP
MD100782V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000067751		Stoystown	1992	06/13/2022	Recurring Cert	Active	2ND FLOOR
MD161262H		Cast Iron	H - Hot Water	CI		Crown	2017	07/09/2022	Recurring Cert	Active	STORE ROOM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

Heat (Water <= 160 psig, 250 F)

**Total Objects at this Location:** 3

**Location:** Morning Cheer-BMIC#313610 **Location ID:** 724321  
**Address:** 60 Sandy Cove Rd - North East, MD 21901-5436 **Phone:** 443-674-9461  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Sporting and Recreational Camps  
**Primary Contact:** John Baranik - Phone: 443-674-9447 - Cell: 302-598-6406 - Email: j.baranik@sandycove.org  
**Billing Contact:** Kevin Bitler - 60 Sandy Cove Rd North East, MD 21901-5436 - Phone: 443-674-9453 - Cell: 410-920-0332 - Email: k.bitler@sandycove.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090619H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Standard	1987	12/10/2021	Recurring Cert	Active	Chesapeake Lodg
MD098867H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	0070702		Hamilton Eng	1996	07/28/2023	Recurring Cert	Active	Kitchen new Mech Rm
MD098868H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	cp2371935	Weil-McLain	1987	07/28/2023	Recurring Cert	Active	Kitchen/Laundry Area Bsmt
MD098869H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI	2467615	Weil-McLain	1987	07/28/2023	Recurring Cert	Active	Kitchen-bsmt
MD123632H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000203229	0212203229	Raypak	2001	12/10/2021	Recurring Cert	Active	Pool
MD140244H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65020533	Burnham	2008	07/28/2023	Recurring Cert	Active	Chesapeake Lodg
MD145446H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000473249		Raypak	2019	11/07/2021	Recurring Cert	Active	pool filter room
MD152773H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000391090		Raypak	2015	12/10/2021	Recurring Cert	Active	Original Lodge
MD165445H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000431621		Raypak	2019	11/07/2021	Recurring Cert	Active	pool filter room

**Total Objects at this Location:** 9

**Location:** Motel 6 (0768) **Location ID:** 719070  
**Address:** 223 Belle Hill Rd - Elkton, MD 21921-5039 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Stephenie Combs - Phone: 410-392-5020 - Email: m60768bo@motel6.com  
**Billing Contact:** - PO Box 117508 Carrollton, TX 75011-7508 - Phone: 972-360-5539 - Email: g6taxcont@g6hospitality.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164721H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	288059	C 18288059	Laars	2018	08/02/2021	Recurring Cert	Active	Laundry
MD164722H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000288058	C 18288058	Laars	2018	08/02/2021	Recurring Cert	Active	Laundry

**Total Objects at this Location:** 2

**Location:** Nauti Goose (Arc3) **Location ID:** 3905570  
**Address:** 200 W Cherry St - North East, MD 21901-4100 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Nauti Goose (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161230V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000080843		MVE	1998	09/04/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** North East Developers **Location ID:** 706788  
**Address:** 1500 Chesapeake Club Dr - North East, MD 21901-4724 **Phone:** 410-287-0200 EXT 4  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Amusement and recreational services  
**Primary Contact:** Gary Munch - Phone: 302-528-2180 - Email: gmunch@bossenterprises.net  
**Billing Contact:** Gary Munch - 1500 Chesapeake Club Dr North East, MD 21901-4724 - Phone: 302-528-2180 - Email: gmunch@bossenterprises.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD099344H	HWH	Water Heater (HLW)	H - Hot Water Heat (Water <=	000057686		State Industries	1997	11/01/2021	Recurring Cert	Active	Kitchen/Utility Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								
<b>Total Objects at this Location:</b>				1							

**Location:** Oakwood Garage Inc. **Location ID:** 735286  
**Address:** 623 Old Conowingo Rd - Conowingo, MD 21918-1109 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** General Automotive Repair Shops  
**Primary Contact:** Donald or Alan McCollough - Phone: 410 378 4330  
**Billing Contact:** Donald or Alan McCollough - 623 Old Conowingo Rd Conowingo, MD 21918-1109 - Phone: 410 378 4330

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115563V	Comp # 1	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000429269	429269	SMC INC	1993	04/06/2023	Recurring Cert	Active	SHOP
MD115564V	Comp # 2	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000135851		Melben	1986	04/06/2023	Recurring Cert	Active	SHOP
<b>Total Objects at this Location:</b>				2							

**Location:** Oblate Sisters Of Saint Francis De Sales **Location ID:** 720116  
**Address:** 399 Childs Rd - Childs, MD 21916 **Phone:** 410-398-3699  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Elementary and Secondary Schools  
**Primary Contact:** Sister John Elizabeth Callaghan - Phone: 410-398-3699 - Email: oblatesisters@mountaviat.org  
**Billing Contact:** Sister John Elizabeth Callaghan - 399 Childs Rd Childs, MD 21916 - Phone: 410-398-3699 - Email: oblatesisters@mountaviat.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169101H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000491127	C1100558	Sermeta	2020	06/14/2023	Recurring Cert	Active	Blrm in School
<b>Total Objects at this Location:</b>				1							

**Location:** Oblates of Saint Francis De Sales  
**Address:** 1120 Blue Ball Rd - Childs, MD 21916  
**County:** Cecil

**FIPS:** 24015

**Location ID:** 720117  
**Phone:** 410-398-3040  
**NOB/SIC:** Religious Organizations

**Primary Contact:** Bro. Joe Hayden - Phone: 410-398-3040 ext 123 - Cell: 410-920-6019

**Billing Contact:** Bro. Joe Hayden - 2200 Kentmere Pkwy Wilmington, DE 19806-2018 - Phone: 410-398-3040 ext 123 - Cell: 410-920-6019

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169091H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000472273		Sermeta	2019	10/13/2022	Recurring Cert	Active	ANNECY 2
MD169092H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000349332		LC	2019	10/13/2022	Recurring Cert	Active	ANNECY 2
MD169093H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000136373		Bradford	2020	10/13/2022	Recurring Cert	Active	BUCKLEY
MD169094H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000181814	2044121561773	Lochinvar	2020	10/13/2022	Recurring Cert	Active	ATTIC

**Total Objects at this Location:** 4

**Location:** Paradise Motor Parts  
**Address:** 929 W Pulaski Hwy - Elkton, MD 21921-4714  
**County:** Cecil

**FIPS:** 24015

**Location ID:** 720652  
**Phone:** 410-620-9800  
**NOB/SIC:** Automotive dealers and gasoline service stations

**Primary Contact:** Paradise Auto Parts - Phone: 410-620-9800

**Billing Contact:** - 929 W Pulaski Hwy Elkton, MD 21921-4714 - Phone: 410-620-9800

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102358V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000175571		Manchester	1994	03/31/2023	Recurring Cert	Active	Body Shop Compressor Area
MD136786V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000601238	D075550	Steel Fab	2010	10/22/2021	Recurring Cert	Active	Service Outside Shed
MD145149V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000108699		Manchester	1997	03/31/2023	Recurring Cert	Active	Body shop Compressor Area
MD150663V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000148236	13410665	Iamco	1988	03/31/2023	Recurring Cert	Active	Disassembly area
MD162850V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000066780	836175	Morganton	2018	03/18/2023	Recurring Cert	Active	Disassembly Area

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
<b>Total Objects at this Location:</b>				5							

**Location:** Pat's Pizzeria (Arc3) **Location ID:** 3905539  
**Address:** 224 S Bridge St - Elkton, MD 21921-5915 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Pat's Pizzeria (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161221V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000124998		MVE	2000	09/04/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Pat's Pizzeria (Arc3) **Location ID:** 3905573  
**Address:** 2305 Pulaski Hwy - North East, MD 21901-3735 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Pat's Pizzeria (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161224V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000233011		CHART	2012	09/04/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Principio Furnace Foundation **Location ID:** 992709  
**Address:** 1723 Principio Furnace Rd - Perryville, MD 21903-1719 **Phone:** 410-642-9213  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Museums and Art Galleries  
**Primary Contact:** Ryan Woerner - Phone: (410)642-9213 - Cell: (717)324-0558 - Email: rwoerner@stewartproperties.com  
**Billing Contact:** Ryan Woerner - 1723 Principio Furnace Rd Perryville, MD 21903-1719 - Phone: (410)642-9213 - Cell: (717)324-0558 - Email: rwoerner@stewartproperties.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117027H		Cast Iron	H - Hot Water	CI	64556887	Burnham	2003	11/30/2021	Recurring Cert	Active	basement

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117028H		Cast Iron	Heat (Water <= 160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	64540831	Burnham	2003	11/30/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 2

**Location:** Rising Sun Medical Center  
**Address:** 9 S Queen St - Rising Sun, MD 21911-1891  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Rising Sun Medical Center - Phone: 4106583066  
**Billing Contact:** - PO Box 585 Rising Sun, MD 21911-0585

**Location ID:** 722829  
**Phone:**  
**NOB/SIC:** Health services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135434H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2009	02/02/2023	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** Route 40 Laundromat  
**Address:** 5404 Pulaski Hwy - Perryville, MD 21903-2605  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Route 40 Laundromat - Phone: 410-642-6877  
**Billing Contact:** - PO Box 775 Perryville, MD 21903-0775 - Phone: 410-642-6877

**Location ID:** 723442  
**Phone:**  
**NOB/SIC:** Personal services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133816V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000123074		A O Smith	2008	10/28/2022	Recurring Cert	Active	Utility Room
MD161231H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000286936		Laars	2018	10/28/2022	Recurring Cert	Active	Storage Room

**Total Objects at this Location:** 2



**Location:** Schaefer's (Arc3) **Location ID:** 3905533  
**Address:** 208 Bank St - Chesapeake City, MD 21915-1039 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Schaefer's (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161213V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000288975		CHART	2012	09/04/2022	Recurring Cert	Active	Restaurant Kitchen
MD161214V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004300		Taylor	1988	09/04/2022	Recurring Cert	Active	Ballroom Closet

**Total Objects at this Location:** 2

**Location:** Snatcher's Creekside Bar (Arc3) **Location ID:** 3905574  
**Address:** 510 S Main St - North East, MD 21901-3920 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Snatcher's Creekside Bar (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167638V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021065		Taylor-Wharton	1995	10/14/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** SOM-MDOT/MDTA/JFK Hwy I-95/Chesapeake House **Location ID:** 714148  
**Address:** Mile Marker 98 JFK Memorial Hwy - Elkon, MD 21921 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Thomas Stein - Phone: 786-521-1117 - Email: thomas.stein@areas.com  
**Billing Contact:** Thomas Stein - Maryland House Plaza MM 82 Aberdeen, MD 21001 - Phone: 786-521-1117 - Email: thomas.stein@areas.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166290H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	141720		PVI Industries	2016	01/08/2022	Recurring Cert	Active	Heater Room,

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166291H	DWH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	136933		PVI Industries	2013	01/08/2022	Recurring Cert	Active	Heater Room
MD166292H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	267635		Giannoni France	2013	01/08/2022	Recurring Cert	Active	Heater Room
<b>Total Objects at this Location:</b>				3							

**Location:** Sonic Drive In - 6281 (Arc3) **Location ID:** 3905545  
**Address:** 103 E Pulaski Hwy - Elkton, MD 21921-6414 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Sonic Drive In - 6281 (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161215V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000002312		Taylor	1983	09/04/2022	Recurring Cert	Active	Store Rm
<b>Total Objects at this Location:</b>				1							

**Location:** Stancills Inc. **Location ID:** 725622  
**Address:** 499 Mountain Hill Rd - Perryville, MD 21903-1413 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Stone, clay, glass, and concrete products  
**Primary Contact:** Ruthie Cooper - Phone: 410-939-2224 - Email: ruthie@stancills.com  
**Billing Contact:** Ruthie Cooper - 499 Mountain Hill Rd Perryville, MD 21903-1413 - Phone: 410-939-2224 - Email: ruthie@stancills.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084226V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000449914		Kargard	1970	05/03/2022	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							

**Location:** **Steak & Main** **Location ID:** 718982  
**Address:** 107 S Main St - North East, MD 21901-3955 **Phone:** 410-287-3512  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and drinking places  
**Primary Contact:** Tony Cavotta - Phone: 410-287-3512 - Cell: 610-304-7576  
**Billing Contact:** Tony Cavotta - 107 S Main St North East, MD 21901-3955 - Phone: 410-287-3512 - Cell: 610-304-7576

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141872H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	2005	04/05/2023	Recurring Cert	Active	Liquor Rm

**Total Objects at this Location:** 1

**Location:** **Subway - 34006 (Arc3)** **Location ID:** 3905576  
**Address:** 75 N East Plz - North East, MD 21901-3617 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Subway - 34006 (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charlie.patterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161225V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000124992		MVE	2000	09/04/2022	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** **Sunrise Auto Center** **Location ID:** 728743  
**Address:** 11 E Cherry St - Rising Sun, MD 21911-1985 **Phone:** 410-658-5592  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Jeremy Vanderhoff - Phone: 610-476-3368  
**Billing Contact:** Jeremy Vanderhoff - 341 Fremont Rd Nottingham, PA 19362-9120 - Phone: 610-476-3368

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121595V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000249836		Manchester	2003	09/20/2022	Recurring Cert	Active	Shop (Rear Garage)
MD155914H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		OWB & OWT	2015	09/20/2022	Recurring Cert	Active	Boiler Room #2

Total Objects at this Location: 2

**Location:** Taggart House Apartments  
**Address:** 241 E Main St - Elkton, MD 21921-5730  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Patrick J. & Delores S. Ulrich - Phone: 410-392-6340  
**Billing Contact:** - 251 S Bridge St Ste 2 Elkton, MD 21921-6030 - Phone: 410-392-6340

**Location ID:** 726272  
**Phone:** 410-392-6340  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083303H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	JJ27708	Utica	1985	10/12/2022	Recurring Cert	Active	Basement
MD083304H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	JJ27714	Utica	1985	10/12/2022	Recurring Cert	Active	Basement
MD083305H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	JJ27715	Utica	1985	10/12/2022	Recurring Cert	Active	Basement
MD083306H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	JJ27711	Utica	1985	10/12/2022	Recurring Cert	Active	Basement
MD083307H	CI	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	JJ27710	Utica	1985	10/12/2022	Recurring Cert	Active	Basement
MD126508H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Utica	2006	10/12/2022	Recurring Cert	Active	Basement

Total Objects at this Location: 6

**Location:** The Meeting Ground Inc  
**Address:** 401 North St - Elkton, MD 21921-5520  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** The Meeting Ground Inc  
**Billing Contact:**

**Location ID:** 2836247  
**Phone:** 410-620-4701  
**NOB/SIC:** Rooming and Boarding Houses

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135419H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP4878875	Weil-McLain	2004	04/07/2022	Recurring Cert	Active	Basement Boiler Room

Total Objects at this Location: 1

**Location:** Tiffin Athletic Mats Inc  
**Address:** 505 Blue Ball Rd Bldg 40 - Elkton, MD 21921-4873  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Tiffin Athletic Mats Inc - Phone: 410-398-0900  
**Billing Contact:** - PO Box 823 Elkton, MD 21922-0823 - Phone: 410-398-0900

**Location ID:** 726625  
**Phone:** 410-398-0900  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134923V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001043827		Manchester	2008	01/21/2022	Recurring Cert	Active	Plant
MD142243V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000559747		Steel Fab	2009	01/21/2022	Recurring Cert	Active	Rear Shop
MD148053V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000534840		Steel Fab	2008	01/21/2022	Recurring Cert	Active	Truck Shop

**Total Objects at this Location:** 3

**Location:** Tot's Landing  
**Address:** 201 E Cecil Ave - North East, MD 21901-4009  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Alice Sturgill - Phone: 443-674-8601 - Email: info@totslanding.org  
**Billing Contact:** Alice Sturgill - 201 E Cecil Ave North East, MD 21901-4009 - Phone: 443-674-8601 - Email: info@totslanding.org

**Location ID:** 708196  
**Phone:** 443-674-8601  
**NOB/SIC:** Offices and Clinics of Dentists

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066565H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1989	01/19/2023	Recurring Cert	Active	Boiler Room/Utility Room

**Total Objects at this Location:** 1

**Location:** Town of Elkton  
**Address:** 101 Railroad Ave - Elkton, MD 21921-5550  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** George Lewis - Phone: 410-398-0970/410-392-0711 - Email: lewis.george@elkton.org  
**Billing Contact:** George Lewis - PO Box 157 Elkton, MD 21922-0157 - Phone: 410-398-0970/410-392-0711 - Email: lewis.george@elkton.org

**Location ID:** 4069646  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148447H		Cast Iron	H - Steam Heat	CI	0000	Weil-McLain	2013	04/28/2023	Recurring Cert	Active	Boiler room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

(Steam <= 15 psig)

**Total Objects at this Location:** 1

**Location:** Tri-State Christian Academy **Location ID:** 703866  
**Address:** 146 Appleton Rd - Elkton, MD 21921-5008 **Phone:** 410-398-6444  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Religious Organizations  
**Primary Contact:** Keith Wilson - Phone: (410)398-6444 - Email: tristatechristian@comcast.net  
**Billing Contact:** Keith Wilson - 146 Appleton Rd Elkton, MD 21921-5008 - Phone: (410)398-6444 - Email: tristatechristian@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113572H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	lbg-9 series	Weil-McLain	2001	10/21/2021	Recurring Cert	Active	BOILER ROOM
MD113573H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	lbg-9 series	Weil-McLain	2001	10/21/2021	Recurring Cert	Active	BOILER ROOM

**Total Objects at this Location:** 2

**Location:** Trinity United Methodist Church **Location ID:** 1871793  
**Address:** 450 3rd St - Chesapeake City, MD 21915-1127 **Phone:** 410-885-5641  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Religious Organizations  
**Primary Contact:** Deb Forsythe - Phone: 410-885-5641 - Email: office@chesapeakecityumc.com  
**Billing Contact:** Deb Forsythe - 450 3rd St Chesapeake City, MD 21915-1127 - Phone: 410-885-5641 - Email: office@chesapeakecityumc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141413H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	04/05/2022	Recurring Cert	Active	Boiler Room
MD141414H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	04/05/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 2

**Location:** V F W Post #81175  
**Address:** 208 W High Street - Elkton, MD 21921-5245  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** V F W Post #81175 - Phone: 410-392-3914  
**Billing Contact:** - PO Box 303 Elkton, MD 21922-0303 - Phone: 410-392-3914 after 12:pm

**Location ID:** 727775  
**Phone:** 410-392-3914  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136917H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	65075660	Burnham	2008	01/18/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** W L Gore & Assoc, Appleton East (Keen Compressed)  
**Address:** 201 Airport Rd - Elkton, MD 21921-4135  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Bryan Suess - Phone: 410-506-7536 - Email: bsuess@wlgore.com  
**Billing Contact:** Willard Keen - PO Box 15146 101 Rogers Rd Wilmington, DE 19801-5778 - Phone: 302-594-4564 - Email: wkeen@keengas.com

**Location ID:** 1932799  
**Phone:**  
**NOB/SIC:** Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124686V	N2 Tank	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000002160	4-286-4	AIR PRODUCTS	1964	03/18/2022	Recurring Cert	Active	Outside Bldg

**Total Objects at this Location:** 1

**Location:** Wal-Mart Store 1860  
**Address:** 1000 E Pulaski Hwy - Elkton, MD 21921-6306  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

**Location ID:** 1600469  
**Phone:**  
**NOB/SIC:** Variety Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121930V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057770		Standard	2004	04/07/2022	Recurring Cert	Active	Mech Room
MD121931V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057765		Standard	2004	04/07/2022	Recurring Cert	Active	Mech Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121932V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057847		Standard	2004	04/07/2022	Recurring Cert	Active	Mech Room
MD121933V	Chiller	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000057849		Standard	2004	04/07/2022	Recurring Cert	Active	Mech Room
MD149704V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000216171		Morganton	2012	04/07/2022	Recurring Cert	Active	Tire Center
<b>Total Objects at this Location:</b>				<b>5</b>							

**Location:** Wal-Mart Store 5450  
**Address:** 75 North East Plaza - North East, MD 21901-3617  
**County:** Cecil **FIPS:** 24015  
**Location ID:** 1603493  
**Phone:**  
**NOB/SIC:** Miscellaneous Retail Stores, NEC  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121939V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000459233		Manchester	2005	01/20/2022	Recurring Cert	Active	Tire Center
MD141869V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000006276		Westermeyer	2010	01/20/2022	Recurring Cert	Active	Roof
MD141870V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000006618		Westermeyer	2010	01/20/2022	Recurring Cert	Active	Roof
MD141871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000007351		Westermeyer	2010	01/20/2022	Recurring Cert	Active	Roof
<b>Total Objects at this Location:</b>				<b>4</b>							



**Location:** Warwick Mushroom Farms, LLC.  
**Address:** 249 Worsell Manor Road - Warwick, MD 21912-1276  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Jack Reitnauer - Cell: 610 636 2927  
**Billing Contact:** - PO Box 241 Warwick, MD 21912-0241 - Phone: 410-275-2755

**Location ID:** 2607594  
**Phone:** 410-275-2755  
**NOB/SIC:** Vegetables and Melons

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD155664V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027376		Refrigerant Valves and Vessels	2015	09/27/2022	Recurring Cert	Active	Ammonia Room C
MD155665V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000026725		Refrigeration Valves and vessels	2015	09/27/2022	Recurring Cert	Active	Ammonia Room C
MD155666V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000160896		York	2015	09/27/2022	Recurring Cert	Active	Ammonia Room A
MD155667V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000160915		Refrigerant Valves and Vessels	2015	09/27/2022	Recurring Cert	Active	Ammonia Room A
<b>Total Objects at this Location:</b>				4							

**Location:** Wawa - 0585 (Roberts)  
**Address:** 2031 Pulaski Hwy - North East, MD 21901-3740  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

**Location ID:** 3903111  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167628V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000321558		CHART	2019	08/28/2022	Recurring Cert	Active	Closet
<b>Total Objects at this Location:</b>				1							

**Location:** Wawa - 547 (Roberts) **Location ID:** 3903110  
**Address:** 1657 Elkton Rd - Elkton, MD 21921-4133 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161695V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000093328		Taylor	2011	09/02/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Wawa - 8512 (Roberts) **Location ID:** 3903109  
**Address:** 302 W Pulaski Hwy - Elkton, MD 21921-5279 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161696V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000038948		MVE	1990	09/02/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Wendy's - 6604 (Roberts) **Location ID:** 4007587  
**Address:** 2522 Pulaski Hwy - North East, MD 21901-2610 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD167110V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000013189		Taylor	1989	02/11/2022	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** West Coast Mushrooms **Location ID:** 2549775  
**Address:** 342 Hopewell Rd - Rising Sun, MD 21911-2136 **Phone:** 610-246-5790  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** General Farms, Primarily Crop  
**Primary Contact:** Charles Losito - Phone: 410-658-7699 - Cell: 484-885-6468 - Email: closito@westcoastmushrooms.com  
**Billing Contact:** - 627 Ebenezer Church Rd Rising Sun, MD 21911-2711 - Phone: 410-658-7699

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135284H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Peerless	1988	07/30/2021	Recurring Cert	Active	#2 Boiler
MD137576H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	crown8000478409	Crown	2009	07/30/2021	Recurring Cert	Active	#1 Building

**Total Objects at this Location:** 2

**Location:** West Coast Mushrooms, LLC. **Location ID:** 2547903  
**Address:** 627 Ebenezer Church Rd - Rising Sun, MD 21911-2711 **Phone:** 410-658-7804  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Food Crops Grown Under Cover  
**Primary Contact:** Missy Price - Phone: 410-658-7804 - Cell: 610-932-3698 - Email: missy@westcoastmushrooms.com  
**Billing Contact:** Missy Price - 627 Ebenezer Church Rd Rising Sun, MD 21911-2711 - Phone: 410-658-7804 - Cell: 610-932-3698 - Email: missy@westcoastmushrooms.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135260H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Crown	2008	03/26/2023	Recurring Cert	Active	Boiler Rm

**Total Objects at this Location:** 1

**Location:** West End Garden **Location ID:** 728696  
**Address:** 205 W Pulaski Hwy - Elkton, MD 21921-5910 **Phone:**  
**County:** Cecil **FIPS:** 24015 **NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** West End Garden - Phone: 410-398-3700  
**Billing Contact:** - 205 W Pulaski Hwy Elkton, MD 21921-5910 - Phone: 410-398-3700

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145134H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	493769-200409	Kingsley Group	2010	04/09/2023	Recurring Cert	Active	Boiler rm Basement

**Total Objects at this Location:** 1

**Location:** William H Brady, Inc.  
**Address:** 399 Blue Ball Rd - Elkton, MD 21921-4817  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** William H Brady, Inc.  
**Billing Contact:** William H Brady III - PO Box 36 Elkton, MD 21922-0036 - Phone: (410) 398-4770

**Location ID:** 2622684  
**Phone:**  
**NOB/SIC:** Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151633V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001908007		CAMPBELL	2015	08/26/2023	Recurring Cert	Active	shop equipment/tool
MD151634V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000434338	490846	Morganton	2014	08/26/2023	Recurring Cert	Active	shop equipment/tool
MD158647V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001049423	N/A	Manchester	2000	08/16/2023	Recurring Cert	Active	Shop near burn table

**Total Objects at this Location:** 3

**Location:** Woodys Crabhouse  
**Address:** 29 S Main St - North East, MD 21901-3909  
**County:** Cecil **FIPS:** 24015  
**Primary Contact:** Peter Wood - Phone: 410-287-3541/302-420-5525 - Email: woodynemd@aol.com  
**Billing Contact:** Peter Wood - 29 S Main St North East, MD 21901-3909 - Phone: 410-287-3541/302-420-5525 - Email: woodynemd@aol.com

**Location ID:** 729536  
**Phone:** 410-287-3541  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162514H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2017	11/09/2022	Recurring Cert	Active	Rear of bldg
MD162515H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2018	11/09/2022	Recurring Cert	Active	Rear of bldg

**Total Objects at this Location:** 2

**Location:** Zeman and Son Auto Repair, LLC.

**Address:** 646 W Pulaski Hwy - Elkton, MD 21921-4708

**County:** Cecil

**FIPS:** 24015

**Location ID:** 711678

**Phone:** 410-398-0978

**NOB/SIC:** Automotive dealers and gasoline service stations

**Primary Contact:** Gary Zeman - Phone: 301-398-0978 - Email: GL21115@aol.com

**Billing Contact:** Gary Zeman - 646 W Pulaski Hwy Elkton, MD 21921-4708 - Phone: 301-398-0978 - Email: GL21115@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122760V	C A T	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000312639		Steel Fab	2002	09/22/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Total Objects** 183

**Total Locations** 84

**Total Active Objects** 183